

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Afghan Hash**  
Product number 18-03-9999

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial use

#### 1.3 Details of the supplier of the safety data sheet

Eybna Technologies Ltd  
1 HaYozma St.  
4442214 Kfar Saba  
Israel  
Telephone: +972 3 3741976  
e-mail: info@eybna.com  
Website: http://www.eybna.com/

e-mail (competent person) Gil.ts@eybna.com (Gil Tsapovetsky)

#### 1.4 Emergency telephone number

+1 4158544820

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class  | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| A.10    | acute toxicity (oral)   | 4        | Acute Tox. 4              | H302             |
| A.2     | skin corrosion/irritation   | 2        | Skin Irrit. 2             | H315             |
| A.3     | serious eye damage/eye irritation   | 2        | Eye Irrit. 2              | H319             |
| A.4S    | skin sensitization  | 1        | Skin Sens. 1              | H317             |
| A.6     | carcinogenicity   | 2        | Carc. 2                   | H351             |
| A.8R    | specific target organ toxicity - single exposure (respiratory tract irritation) | 3        | STOT SE 3                 | H335             |
| A.10    | aspiration hazard   | 1        | Asp. Tox. 1               | H304             |
| B.6     | flammable liquid  | 3        | Flam. Liq. 3              | H226             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### - Hazard statements

|      |   |
|------|---|
| H226 | Flammable liquid and vapor.                   |
| H302 | Harmful if swallowed.                         |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation.                       |
| H317 | May cause an allergic skin reaction.          |
| H319 | Causes serious eye irritation.                |
| H335 | May cause respiratory irritation.             |
| H351 | Suspected of causing cancer.                  |

### - Precautionary statements

|                |  |
|----------------|--|
| P202           | Do not handle until all safety precautions have been read and understood.  |
| P210           | Keep away from heat/sparks/open flames/hot surfaces. No smoking.   |
| P240           | Ground/bond container and receiving equipment.   |
| P241           | Use explosion-proof electrical/ventilating/lighting equipment.   |
| P242           | Use only non-sparking tools.   |
| P243           | Take precautionary measures against static discharge.  |
| P261           | Avoid breathing dust/fume/gas/mist/vapors/spray.   |
| P270           | Do not eat, drink or smoke when using this product.  |
| P271           | Use only outdoors or in a well-ventilated area.  |
| P272           | Contaminated work clothing must not be allowed out of the workplace.   |
| P280           | Wear protective gloves/eye protection/face protection.   |
| P301+P310      | If swallowed: Immediately call a poison center/doctor.   |
| P301+P312      | If swallowed: Call a poison center/doctor if you feel unwell.  |
| P302+P352      | If on skin: Wash with plenty of water.   |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.                              |
| P304+P340      | If inhaled: Remove person to fresh air and keep comfortable for breathing.   |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312           | Call a poison center/doctor if you feel unwell.  |
| P321           | Specific treatment (see on this label).  |
| P330           | Rinse mouth.   |
| P331           | Do NOT induce vomiting.  |
| P362           | Take off contaminated clothing and wash before reuse.  |
| P363           | Wash contaminated clothing before reuse.   |
| P370+P378      | In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.   |
| P403+P235      | Store in a well-ventilated place. Keep cool.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/container to industrial combustion plant.  |

## 2.3 Other hazards

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

| Name of substance                | Wt%       | Classification acc. to GHS  |
|----------------------------------|-----------|---|
| Proprietary Sesquiterpene        | 10 - < 25 | Acute Tox. 4 / H302   |
| Proprietary Monoterpene          | 10 - < 25 | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Carc. 2 / H351<br>Asp. Tox. 1 / H304<br>Flam. Liq. 3 / H226  |
| Proprietary Monoterpene          | 5 - < 10  | Acute Tox. 4 / H302<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1 / H317<br>STOT SE 3 / H335<br>Flam. Liq. 3 / H226  |
| Proprietary Sesquiterpene        | 1 - < 5   | Acute Tox. 4 / H302   |
| Proprietary Monoterpenic Alcohol | 1 - < 5   | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>STOT SE 3 / H335   |
| Proprietary Oil                  | 1 - < 5   | Acute Tox. 4 / H302<br>Skin Sens. 1 / H317<br>Flam. Liq. 3 / H226   |
| Proprietary Diterpenic Alcohol   | 1 - < 5   | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>STOT SE 3 / H335   |
| Proprietary Monoterpenic Alcohol | 1 - < 5   | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>STOT SE 3 / H335   |
| Proprietary Monoterpene          | 1 - < 5   | Eye Irrit. 2 / H319<br>Flam. Sol. 2 / H228  |
| Proprietary Sesquiterpene        | 1 - < 5   | Skin Irrit. 2 / H315<br>Asp. Tox. 1 / H304  |
| Proprietary Monoterpene          | 1 - < 5   | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>STOT SE 3 / H335<br>Flam. Liq. 3 / H226  |
| Proprietary natural compound     | 1 - < 5   | Skin Irrit. 2 / H315<br>STOT SE 3 / H335<br>Flam. Liq. 3 / H226   |
| Proprietary Monoterpene          | 1 - < 5   | Acute Tox. 4 / H302<br>Acute Tox. 4 / H312<br>Acute Tox. 4 / H332<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1B / H317<br>STOT SE 3 / H335<br>Asp. Tox. 1 / H304<br>Flam. Liq. 3 / H226 |
| Proprietary Monoterpene          | 0 - < 1   | Acute Tox. 4 / H302<br>Eye Irrit. 2 / H319<br>Skin Sens. 1 / H317   |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

| Name of substance       | Wt%     | Classification acc. to GHS  |
|-------------------------|---------|---|
| Proprietary Monoterpene | 0 - < 1 | Skin Irrit. 2 / H315<br>Skin Sens. 1 / H317<br>Asp. Tox. 1 / H304<br>Flam. Liq. 3 / H226  |
| Proprietary Monoterpene | 0 - < 1 | Acute Tox. 4 / H302<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1B / H317<br>STOT SE 3 / H335<br>Flam. Liq. 3 / H226 |

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

#### - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

#### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### - Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                   |            |           |                          |            |                           |                 |                                |          |             |
|--|-------------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|-------------|
| Country  | Name of substance | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source      |
| US   | Beta-Pinene       | TLV®       | 20        |                          |            |                           |                 |                                |          | ACGIH® 2024 |
| US   | Delta-3-Carene    | TLV®       | 20        |                          |            |                           |                 |                                |          | ACGIH® 2024 |

#### Notation

Ceiling-C  
STEL

ceiling value is a limit value above which exposure should not occur  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

| Relevant DNELs of components |                         |                                    |                   |                            |
|------------------------------|-------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint                     | Threshold level         | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL                         | 3.8 mg/m <sup>3</sup>   | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 0.542 mg/kg bw/day      | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                         | 9.03 mg/m <sup>3</sup>  | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 158 mg/kg bw/day        | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                         | 8.8 mg/m <sup>3</sup>   | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 5 mg/kg bw/day          | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                         | 110.2 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 110.2 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - systemic effects   |
| DNEL                         | 0.21 mg/kg bw/day       | human, dermal                      | worker (industry) | chronic - systemic effects |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

| Relevant DNELs of components |                        |                                    |                   |                            |
|------------------------------|------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint                     | Threshold level        | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL                         | 1.25 mg/kg bw/day      | human, dermal                      | worker (industry) | acute - systemic effects   |
| DNEL                         | 2.5 mg/m <sup>3</sup>  | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 5 mg/kg bw/day         | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                         | 5.69 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                         | 0.8 mg/kg bw/day       | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                         | 54 µg/cm <sup>2</sup>  | human, dermal                      | worker (industry) | chronic - local effects    |

| Relevant PNECs of components     |          |                 |                       |                              |                              |
|----------------------------------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Other names or synonyms          | Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| Proprietary Monoterpene          | PNEC     | 0.606 µg/l      | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Monoterpene          | PNEC     | 0.061 µg/l      | aquatic organisms     | marine water                 | short-term (single instance) |
| Proprietary Monoterpene          | PNEC     | 0.2 mg/l        | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Monoterpene          | PNEC     | 157 µg/kg       | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Monoterpene          | PNEC     | 15.7 µg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Monoterpene          | PNEC     | 31.7 µg/kg      | terrestrial organisms | soil                         | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 68 µg/l         | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 6.8 µg/l        | aquatic organisms     | marine water                 | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 2.6 mg/l        | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 1.85 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 0.185 mg/kg     | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Monoterpenic Alcohol | PNEC     | 0.329 mg/kg     | terrestrial organisms | soil                         | short-term (single instance) |
| Proprietary Diterpenic Alcohol   | PNEC     | 55.7 µg/l       | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Diterpenic Alcohol   | PNEC     | 55.7 µg/l       | aquatic organisms     | marine water                 | short-term (single instance) |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

| Relevant PNECs of components   |          |                 |                       |                              |                              |
|--------------------------------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Other names or synonyms        | Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| Proprietary Diterpenic Alcohol | PNEC     | 10 mg/l         | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Diterpenic Alcohol | PNEC     | 18.6 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Diterpenic Alcohol | PNEC     | 18.6 mg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Diterpenic Alcohol | PNEC     | 6.55 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.001 mg/l      | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0 mg/l          | aquatic organisms     | marine water                 | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 10 mg/l         | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.026 mg/kg     | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.003 mg/kg     | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.021 mg/kg     | terrestrial organisms | soil                         | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 0.003 mg/l      | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 0 mg/l          | aquatic organisms     | marine water                 | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 10 mg/l         | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 2.24 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 0.224 mg/kg     | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Sesquiterpene      | PNEC     | 0.446 mg/kg     | terrestrial organisms | soil                         | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 1.004 µg/l      | aquatic organisms     | freshwater                   | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.1 µg/l        | aquatic organisms     | marine water                 | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 3.26 mg/l       | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.337 mg/kg     | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.034 mg/kg     | aquatic organisms     | marine sediment              | short-term (single instance) |
| Proprietary Monoterpene        | PNEC     | 0.067 mg/kg     | terrestrial organisms | soil                         | short-term (single instance) |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                       |
|----------------|-----------------------|
| Physical state | liquid                |
| Color          |                       |
| Particle       | not relevant (liquid) |
| Odor           | characteristic        |

#### Other safety parameters

|   |                       |
|---|-----------------------|
| pH (value)                              | not determined        |
| Melting point/freezing point            | not determined        |
| Initial boiling point and boiling range | 128 °C                |
| Flash point                             | 29.5 °C at 1,013 hPa  |
| Evaporation rate                        | Not determined        |
| Flammability (solid, gas)               | not relevant, (fluid) |
| Vapor pressure                          | 8.7 kPa at 20 °C      |
| Density                                 | not determined        |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

|                              |   |
|------------------------------|---|
| Vapor density                | this information is not available             |
| Relative density             | Information on this property is not available |
| Solubility(ies)              | not determined                                |
| Partition coefficient        |   |
| - n-octanol/water (log KOW)  | this information is not available             |
| Auto-ignition temperature    | 220 °C  |
| Viscosity                    | not determined                                |
| Explosive properties         | none  |
| Oxidizing properties         | none  |
| <b>9.2 Other information</b> | there is no additional information            |

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Harmful if swallowed.

##### - Acute toxicity estimate (ATE)

Oral 1,427 mg/kg

| Acute toxicity estimate (ATE) of components |                   |             |
|---|-------------------|-------------|
| Other names or synonyms                     | Exposure route    | ATE         |
| Proprietary Sesquiterpene                   | oral              | 500 mg/kg   |
| Proprietary Monoterpene                     | oral              | 500 mg/kg   |
| Proprietary Sesquiterpene                   | oral              | 500 mg/kg   |
| Proprietary Oil                             | oral              | 500 mg/kg   |
| Proprietary Monoterpene                     | oral              | 500 mg/kg   |
| Proprietary Monoterpene                     | dermal            | 1,100 mg/kg |
| Proprietary Monoterpene                     | inhalation: vapor | 11 mg/l/4h  |
| Proprietary Monoterpene                     | oral              | 1,930 mg/kg |
| Proprietary Monoterpene                     | oral              | 500 mg/kg   |

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitization

May cause an allergic skin reaction.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Suspected of causing cancer.

| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans |                |        |
|---|----------------|--------|
| Name of substance   | Classification | Number |
| Proprietary Monoterpene   | 2B             |        |
| Proprietary Monoterpene   | 3              |        |

##### Legend

2B Possibly carcinogenic to humans  
3 Not classifiable as to carcinogenicity in humans

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components |          |             |                       |               |
|--|----------|-------------|-----------------------|---------------|
| Other names or synonyms                | Endpoint | Value       | Species               | Exposure time |
| Proprietary Monoterpene                | EC50     | 1.47 mg/l   | aquatic invertebrates | 48 h          |
| Proprietary Monoterpene                | ErC50    | 0.342 mg/l  | algae                 | 72 h          |
| Proprietary Monoterpene                | LC50     | 0.303 mg/l  | fish                  | 96 h          |
| Proprietary Monoterpene                | EC50     | 0.475 mg/l  | aquatic invertebrates | 48 h          |
| Proprietary Monoterpenic Alcohol       | LC50     | >82 mg/l    | fish                  | 96 h          |
| Proprietary Monoterpenic Alcohol       | EC50     | 10 mg/l     | aquatic invertebrates | 48 h          |
| Proprietary Monoterpenic Alcohol       | ErC50    | >11 µg/l    | algae                 | 72 h          |
| Proprietary Diterpenic Alcohol         | LC50     | >100 mg/l   | fish                  | 96 h          |
| Proprietary Diterpenic Alcohol         | EC50     | >100 mg/l   | aquatic invertebrates | 48 h          |
| Proprietary Diterpenic Alcohol         | ErC50    | >1.34 mg/l  | algae                 | 72 h          |
| Proprietary Monoterpene                | LC50     | 0.72 mg/l   | fish                  | 96 h          |
| Proprietary Monoterpene                | EC50     | 0.96 mg/l   | aquatic invertebrates | 24 h          |
| Proprietary Monoterpene                | ErC50    | >1,000 mg/l | algae                 | 72 h          |
| Proprietary Sesquiterpene              | LC50     | 2.78 mg/l   | fish                  | 96 h          |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

| Aquatic toxicity (acute) of components |          |            |                       |               |
|--|----------|------------|-----------------------|---------------|
| Other names or synonyms                | Endpoint | Value      | Species               | Exposure time |
| Proprietary Sesquiterpene              | ErC50    | 7.68 mg/l  | algae                 | 72 h          |
| Proprietary Monoterpene                | EC50     | 3,960 mg/l | aquatic invertebrates | 48 h          |
| Proprietary Monoterpene                | EC50     | 1.7 mg/l   | aquatic invertebrates | 48 h          |

| Aquatic toxicity (chronic) of components |          |             |                       |               |
|--|----------|-------------|-----------------------|---------------|
| Other names or synonyms                  | Endpoint | Value       | Species               | Exposure time |
| Proprietary Diterpenic Alcohol           | EC50     | >1,000 mg/l | microorganisms        | 180 min       |
| Proprietary Monoterpene                  | EC50     | >1,000 mg/l | microorganisms        | 3 h           |
| Proprietary Sesquiterpene                | EC50     | 0.2 mg/l    | aquatic invertebrates | 21 d          |
| Proprietary Sesquiterpene                | LC50     | 2.18 mg/l   | aquatic invertebrates | 21 d          |
| Proprietary Monoterpene                  | EC50     | 326 mg/l    | microorganisms        | 3 h           |

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

#### 14.1 UN number

|           |         |
|-----------|---------|
| DOT       | UN 1993 |
| IMDG-Code | UN 1993 |
| ICAO-TI   | UN 1993 |

#### 14.2 UN proper shipping name

|  |                          |
|--|--------------------------|
| DOT                                    | Flammable liquid, n.o.s. |
| IMDG-Code                              | FLAMMABLE LIQUID, N.O.S. |
| ICAO-TI                                | Flammable liquid, n.o.s. |
| Technical name (hazardous ingredients) | Terpinolene, Myrcene     |

#### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| DOT       | 3 |
| IMDG-Code | 3 |
| ICAO-TI   | 3 |

#### 14.4 Packing group

|           |     |
|-----------|-----|
| DOT       | III |
| IMDG-Code | III |
| ICAO-TI   | III |

#### 14.5 Environmental hazards

|   |                                      |
|---|--------------------------------------|
|   | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment) | Terpinolene                          |

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (contains: Terpinolene, Myrcene), 3, III, environmentally hazardous

Danger label(s) 3, fish and tree



Environmental hazards YES (hazardous to the aquatic environment)

Special provisions (SP) B1, B52, IB3, T4, TP1, TP29

ERG No 128

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant YES (hazardous to the aquatic environment) (Terpinolene)

Danger label(s) 3, fish and tree



Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-E, S-E

Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP) A3

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

**Toxic Substance Control Act (TSCA)** not all ingredients are listed (ACTIVE)

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)  
none of the ingredients are listed

### Clean Air Act

none of the ingredients are listed

### Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No  | Remarks | Classifications |
|-------------------|---------|---------|-----------------|
| Alpha-Pinene      | 80-56-8 |         | F3              |

#### Legend

F3 Flammable - Third Degree

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals |          |         |                      |
|----------------------------------|----------|---------|----------------------|
| Name acc. to inventory           | CAS No   | Remarks | Type of the toxicity |
| beta-Myrcene                     | 123-35-3 |         | cancer               |

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category            | Rating | Description  |
|---------------------|--------|--|
| Chronic             | *      | chronic (long-term) health effects may result from repeated overexposure   |
| Health              | 2      | temporary or minor injury may occur  |
| Flammability        | 3      | material that can be ignited under almost all ambient temperature conditions   |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |  |

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description  |
|----------------|------------------|--|
| Flammability   | 3                | material that can be ignited under almost all ambient temperature conditions                     |
| Health         | 2                | material that, under emergency conditions, can cause temporary incapacitation or residual injury |
| Instability    | 0                | material that is normally stable, even under fire conditions                                     |
| Special hazard |                  |  |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

### SECTION 16: Other information, including date of preparation or last revision

#### Abbreviations and acronyms

| Abbr.         | Descriptions of used abbreviations   |
|---------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation   |
| ACGIH® 2024   | From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Acute Tox.    | Acute toxicity   |
| Asp. Tox.     | Aspiration hazard  |
| ATE           | Acute Toxicity Estimate  |
| Carc.         | Carcinogenicity  |
| CAS           | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C     | Ceiling value  |
| DGR           | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL          | Derived No-Effect Level  |
| DOT           | Department of Transportation (USA)   |
| EC50          | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval   |
| ED            | Endocrine disruptor  |
| EmS           | Emergency Schedule   |
| ErC50         | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control   |
| ERG No        | Emergency Response Guidebook - Number  |
| Eye Dam.      | Seriously damaging to the eye  |
| Eye Irrit.    | Irritant to the eye  |
| Flam. Liq.    | Flammable liquid   |
| Flam. Sol.    | Flammable solid  |
| GHS           | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IARC          | International Agency for Research on Cancer  |
| IATA          | International Air Transport Association  |
| IATA/DGR      | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO          | International Civil Aviation Organization  |
| ICAO-TI       | Technical instructions for the safe transport of dangerous goods by air  |
| IMDG          | International Maritime Dangerous Goods Code  |
| IMDG-Code     | International Maritime Dangerous Goods Code  |
| LC50          | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

| Abbr.          | Descriptions of used abbreviations  |
|----------------|---|
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA           | Occupational Safety and Health Administration (United States)   |
| PBT            | Persistent, Bioaccumulative and Toxic   |
| PNEC           | Predicted No-Effect Concentration   |
| ppm            | Parts per million   |
| Skin Corr.     | Corrosive to skin   |
| Skin Irrit.    | Irritant to skin  |
| Skin Sens.     | Skin sensitization  |
| STEL           | Short-term exposure limit   |
| STOT SE        | Specific target organ toxicity - single exposure  |
| TLV®           | Threshold Limit Values  |
| TWA            | Time-weighted average   |
| vPvB           | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text  |
|------|---|
| H226 | Flammable liquid and vapor.                   |
| H228 | Flammable solid.                              |
| H302 | Harmful if swallowed.                         |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin.                 |
| H315 | Causes skin irritation.                       |
| H317 | May cause an allergic skin reaction.          |
| H319 | Causes serious eye irritation.                |
| H332 | Harmful if inhaled.                           |
| H335 | May cause respiratory irritation.             |
| H351 | Suspected of causing cancer.                  |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Afghan Hash

Version number: GHS 1.0

Date of compilation: 2024-07-22

---

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.